




### Tamper evident security labelling (SR), thermal transfer – Material 1203

#### Features and Benefits

These labels are particularly suitable for permanent identification on flat surfaces for production equipment or IT devices. Using unique numbering, graphics or barcodes the labels give excellent asset identification possibilities. The extensive range has sizes to suit most needs.



Thermal Transfer Printer



Highly visible tamper evidence.

Material Data	
Material	<b>Type 1203, Polyester (PET), silver matt (SR), tamper proof</b>
Operating Temperature	<b>-40 °C to +120 °C</b>
Curing Temperature	<b>from +7°C</b>
Adhesive	<b>Acrylic</b>
Thickness of Foil (µm)	<b>53</b>
Chem. Material Properties	<b>Excellent resistance to water, alcohol, most oils, greases, fuel, freezing fluid, brake fluid, aliphatic solvents, weak acids, salts and alkalis.</b>



Technical Table

Article-No.	Type	Colour	Width (W)	Height (H)	Width of Liner (WL)	Labels per Row	Pack Cont.
596-71120	<b>TAG71TD6-1203-SR</b>	Silver (SR)	12.70	11.10	85.09	6	15000
596-31203	<b>TAG13TD4-1203-SR</b>	Silver (SR)	19.05	6.35	101.60	4	10000
596-61203	<b>TAG16TD3-1203-SR</b>	Silver (SR)	22.86	6.35	80.00	3	10000
596-41203	<b>TAG34TD3-1203-SR</b>	Silver (SR)	25.40	9.53	101.60	3	7500
596-51203	<b>TAG15TD3-1203-SR</b>	Silver (SR)	25.40	12.70	101.60	3	7500
596-11203	<b>TAG31TD3-1203-SR</b>	Silver (SR)	25.40	19.05	85.09	3	5000
596-35120	<b>TAG35TD3-1203-SR</b>	Silver (SR)	31.75	9.53	85.09	3	7500
596-71203	<b>TAG27TD2-1203-SR</b>	Silver (SR)	38.10	19.05	85.09	2	2500
596-67120	<b>TAG67TD2-1203-SR</b>	Silver (SR)	38.10	31.75	69.00	2	1000
596-69120	<b>TAG69TD2-1203-SR</b>	Silver (SR)	40.64	22.86	89.00	2	2500
596-77120	<b>TAG77TD1-1203-SR</b>	Silver (SR)	50.80	22.86	85.09	1	2000
596-73120	<b>TAG73TD1-1203-SR</b>	Silver (SR)	50.80	25.40	89.00	1	2000
596-66120	<b>TAG66TD1-1203-SR</b>	Silver (SR)	50.80	36.50	85.09	1	1000
596-68120	<b>TAG68TD1-1203-SR</b>	Silver (SR)	63.50	25.40	55.00	1	2000
596-63120	<b>TAG63TD1-1203-SR</b>	Silver (SR)	63.50	38.10	95.00	1	1000
596-76120	<b>TAG76TD1-1203-SR</b>	Silver (SR)	63.50	50.80	70.00	1	500
596-72120	<b>TAG72TD1-1203-SR</b>	Silver (SR)	69.85	31.75	76.00	1	1000
596-65120	<b>TAG65TD1-1203-SR</b>	Silver (SR)	76.20	36.50	56.80	1	1000
596-21203	<b>TAG62TD1-1203-SR</b>	Silver (SR)	76.20	50.80	82.00	1	500
596-64120	<b>TAG64TD1-1203-SR</b>	Silver (SR)	88.90	36.50	95.00	1	1000
596-97120	<b>TAG97TD1-1203-SR</b>	Silver (SR)	101.60	74.00	106.00	1	500
596-98120	<b>TAG98TD1-1203-SR</b>	Silver (SR)	101.60	160.00	106.00	1	250

All dimensions in mm. Subject to technical changes.



Please note! Not every product listed carries these approvals! For Product Specific Approvals please refer to the Appendix



### Fragmenting tamper evident security labelling (WH), thermal transfer – Material 1208

#### Features and Benefits

The specially formulated material is made to fragment if it is picked. The construction has a weakness built in that will immediately indicate if anyone has been tampering with the label. It is extremely difficult to pick away all the fragments left behind and simply over-labelling will not work. As with all security labelling if another label is applied on top the fragmented label underneath will be seen.

Assets can therefore be marked securely and unambiguously. The labels can be printed with customer unique references using text, graphics and barcodes as required.


For problem-free printing, we recommend TagPrint PRO software, TT4000 and TT420 printers with TT822OUT ribbons.




A secure way of identifying ...



... if an asset label has been tampered with.



Thermal Transfer Printer



Helatag plain labels

Material Data	
Material	Type 1208, Acrylate foil (AC), white (WH), tamper proof
Operating Temperature	-40 °C to +100 °C
Curing Temperature	From +10 °C
Adhesive	Acrylic
Thickness of Foil (µm)	50
Chem. Material Properties	Resistant to oils, water and solvents



Technical Table

Article-No.	Type	Colour	Width (W)	Height (H)	Width of Liner (WL)	Labels per Row	Pack Cont.
596-20871	TAG71TD6-1208-WH	White (WH)	12.70	11.10	85.09	6	15000
596-12083	TAG34TD3-1208-WH	White (WH)	25.40	9.53	101.60	3	7500
596-12080	TAG15TD3-1208-WH	White (WH)	25.40	12.70	101.60	3	7500
596-12084	TAG31TD3-1208-WH	White (WH)	25.40	19.05	85.09	3	5000
596-12085	TAG35TD3-1208-WH	White (WH)	31.75	9.53	85.09	3	7500
596-12081	TAG17TD2-1208-WH	White (WH)	38.10	6.35	85.09	2	5000
596-12082	TAG27TD2-1208-WH	White (WH)	38.10	19.05	85.09	2	2500
596-12087	TAG67TD2-1208-WH	White (WH)	38.10	31.75	69.00	2	2500
596-12089	TAG69TD2-1208-WH	White (WH)	40.64	22.86	89.00	2	2500
596-71208	TAG77TD1-1208-WH	White (WH)	50.80	22.86	85.09	1	2000
596-31208	TAG73TD1-1208-WH	White (WH)	50.80	25.40	89.00	1	2000
596-12086	TAG66TD1-1208-WH	White (WH)	50.80	36.50	85.09	1	1000
596-12088	TAG68TD1-1208-WH	White (WH)	63.50	25.40	55.00	1	2000
596-20872	TAG72TD1-1208-WH	White (WH)	69.85	31.75	76.00	1	1000

All dimensions in mm. Subject to technical changes.



### Tamper evident 2 piece security labelling (SR / CL), thermal transfer – Material 951

#### Features and Benefits

This type of label has been developed especially for the requirements of marking on vehicles. When used in conjunction with the appropriate protective laminate, they are ideal due to their very high durability in outside use. The fraud-proof equipment acts as a seal. Since it can only be removed by destroying it, any tampering can be spotted immediately. Use of the type rating plate type 951A in conjunction with the type 951B laminate for chemical and mechanical protection meets the requirements of the KBA (Kraftfahrtbundesamt [Federal Motor Transport Authority]). For problem-free printing, we recommend Tagprint PRO software, TT4000 or TT420 using TT822OUT ribbon.




Type plate of an HGV trailer with protective laminate.


#### Application

Specially for applications in the automotive domain for lasting, non-transferable and tamperproof application of type plates. Recommended for use on flat surfaces on the vehicle chassis. The transparent over-laminate, which overlaps by a few millimetres, guarantees high resistance and is simple and safe to apply by hand.


For problem-free printing, we recommend TagPrint PRO software.



The printed silver type plate (Mat. 951A) is protected by the transparent laminate (Mat 951B).



Helatag plain label



Thermal Transfer Printer

Material Data	
Material	<b>Type 951, Polyester, silver (SR) and Polyester, transparent (CL)</b>
Application	<b>Non-transferable labels for automotive, appliance and electric industries. Tamper indicating labels and seals for over-the-counter drugs and other packaging applications.</b>
Operating Temperature	<b>-40 °C to +150 °C</b>
Curing Temperature	<b>From 0 °C</b>



Technical Table

Article-No.	Type	Colour	Width (W)	Height (H)	Width of Liner (WL)	Labels per Row	Pack Cont.
596-44951	<b>TAG25.4-12.7TD1-951 SET</b>	Silver (SR)	25.40	12.70	31.50	1	1000
596-43951	<b>TAG50.8-25.4TD1-951 SET</b>	Silver (SR)	50.80	25.40	56.80	1	1000
596-42951	<b>TAG63.5-50.8TD1-951 SET</b>	Silver (SR)	63.50	50.80	69.50	1	500
596-41951	<b>TAG101-74TD1-951 SET</b>	Silver (SR)	101.60	74.00	107.00	1	250
596-40951	<b>TAG101-160TD1-951 SET</b>	Silver (SR)	101.60	160.00	105.80	1	250

All dimensions in mm. Subject to technical changes.



Please note! Not every product listed carries these approvals! For Product Specific Approvals please refer to the Appendix.